

AGROLAB Dr. VERWEY B.V.

Oosteinde 3, 2991 LG Barendrecht, Netherlands
Tel.+31(0)108080450
e-Mail: info@drverwey.nl, www.drverwey.nl



Date 05.03.2024
Customer no. 100153

REPORT

Order 717673 "HS AYSE ANA" V.31 - RBD Palm Stearin - F24-1191B
Sample no. 703485
Sample acceptance 01.03.2024
Date of sampling 22.02.2024
Customer sample description RBD Palm Stearin
Packaging Plastic bottle 250 ml
Sample seal /.
Ref. No. F24-1191B
Vessel MT "HS AYSE ANA" V.31
Loadport Tema, Ghana
Disch.port Rotterdam, The Netherlands
Sample Composite average ex ship's tank 3P
Commodity RBD Palm Stearin
Quantity 597,025
Buyers: [REDACTED]
Shipper [REDACTED]
Bs/L 02
Place, date Tema, Ghana, 22-2-2024
Contract body: Fosfa 81

Unit Result in OM Method

Physical chemical analyses

Parameter	Unit	Result in OM	Method
Free fatty acids (calc. as Palmiticacid M 256)	%	0,26	MP-01295-NL ISO 660:2020 9.1
Moisture and volatile matter	%	0,02	MP-01311-NL ISO 662:2016 Method A
Insoluble impurities	%	0,01	MP-01312-NL ISO 663:2017
Colour red lovibond (5 1/4 inch)	*) Lovibond U	3,2	conform AOCS Cc 13e-92
Colour yellow lovibond (5 1/4 inch)	*) Lovibond U	32,0	conform AOCS Cc 13e-92
Iodine value	g/100g	39,3	MP-01297-NL ISO 3961:2018
Melting point	*) °C	49,7	ISO 6321 (2002) Method B

Parameter-specific analytical measurement uncertainties and information regarding the method of calculation will be provided upon request if the reported results are above the parameter-specific limit of quantification.

The list of conformity accredited activities L234 (MF-04048-EN) is available on our website www.drverwey.nl

Start of testing: 04.03.2024
End of testing: 05.03.2024

The results are related only to the samples tested. In cases where the laboratory has not been responsible for sampling, the reported results apply to the samples as received. The laboratory is not responsible for the information provided by the customer. The customer information, if any, presented in this test report is not subject to the accreditation of the laboratory and may affect the validity of the test results. Duplication of this document or of parts of it requires the authorization from laboratory.

AGROLAB Dr. VERWEY B.V.

Oosteinde 3, 2991 LG Barendrecht, Netherlands
Tel.+31(0)108080450
e-Mail: info@drverwey.nl, www.drverwey.nl



Date 05.03.2024
Customer no. 100153

REPORT

Order **717673 "HS AYSE ANA" V.31 - RBD Palm Stearin - F24-1191B**
Sample no. **703485**

AGROLAB Dr.VERWEY BV Bilal Teker, Tel. +31/108083 861

The in house activities reported in this document are accredited according to EN ISO/IEC 17025:2017. Only not accredited and/or outsourced activities are identified by the symbol " *)".

Kamer van Koophandel Directeur
Nr. 50761951 Dr. Paul Wimmer
VAT/BTW-ID-Nr.:
NL 822915996 B01